

## BC PUR Injection

### 1. Identification

#### Product identifier

**Product name** BC PUR Injection

**Product number** 100

#### Recommended use of the chemical and restrictions on use

**Application** Injection material

#### Details of the supplier of the safety data sheet

Building Chemistry Industry  
Dammam  
P.Code 338941  
Tel: 0138050533  
Mob: 0593120221  
Kingdom of Saudi Arabia

#### Emergency telephone number

**Emergency telephone** +966 0593120221

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373

**Environmental hazards** Not Classified

#### **Human health**

Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates. Persons susceptible to allergic reactions should not handle this product. Persons with impaired lung function should not handle this product..

#### Label elements

##### **Pictogram**



##### **Signal word**

Danger

## BC PUR Injection

|                                 |   |
|---------------------------------|---|
| <b>Hazard statements</b>        | <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H332 Harmful if inhaled.</p> <p>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H335 May cause respiratory irritation.</p> <p>H351 Suspected of causing cancer.</p> <p>H373 May cause damage to organs through prolonged or repeated exposure.</p>   |
| <b>Precautionary statements</b> | <p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P260 Do not breathe vapor/ spray.</p> <p>P261 Avoid breathing vapor/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P272 Contaminated work clothing must not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P284 [In case of inadequate ventilation] wear respiratory protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P308+P313 If exposed or concerned: Get medical advice/ attention.</p> <p>P312 Call a poison center/ doctor if you feel unwell.</p> <p>P314 Get medical advice/ attention if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P342+P311 If experiencing respiratory symptoms: Call a poison center/ doctor.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p> |
| <b>Contains</b>                 | METHYLENEDIPHENYL DIISOCYANATE  |

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### Blend of Polyester and poly ether polyols and blowing agents

### Polymer ashesive melt

CAS number: 26447-40-5

#### Classification

Acute Tox. 4 - H332

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

Resp. Sens. 1 - H334

Skin Sens. 1 - H317

Carc. 2 - H351

STOT SE 3 - H335

STOT RE 2 - H373

## BC HMP

### BC PUR Injection

#### 4. First-aid measures

##### General information

Avoid contact with skin and eyes. Do not breathe vapour. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

##### Inhalation

Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.

##### Ingestion

Do not induce vomiting. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.

##### Skin Contact

Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

##### Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention if irritation persists after washing.

#### Most important symptoms and effects, both acute and delayed

##### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Indication of immediate medical attention and special treatment needed

##### Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

#### 5. Fire-fighting measures

##### Extinguishing media

**Suitable extinguishing media** Extinguish with foam, carbon dioxide or dry powder.

##### Special hazards arising from the substance or mixture

##### Specific hazards

Irritating gases or vapors.

##### Advice for firefighters

##### Protective actions during

**firefighting**

**Special protective equipment for firefighters**

Avoid breathing fire gases or vapors. Keep up-wind to avoid fumes. Do not use water jet as an extinguisher, as this will spread the fire. Control run-off water by containing and keeping it out of sewers and watercourses.

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Warn everybody of potential hazards and evacuate if necessary. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Do not breathe vapour. Avoid contact with skin and eyes.

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

## BC PUR Injection

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Use only in well-ventilated areas. Do not breathe vapour. Avoid contact with skin and eyes. Open drum carefully as content may be under pressure. Keep away from heat, sparks and open flame. Avoid eating, drinking and smoking when using the product. Good personal hygiene procedures should be implemented.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10).

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

**Ingredient comments** WEL = Workplace Exposure Limits

#### Exposure controls

##### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

**Eye/face protection** The following protection should be worn: Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with OSHA 1910.133.

**Hand protection** Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. The selected gloves should have a breakthrough time of at least 8 hours.

**Other skin and body protection** Wear apron or protective clothing in case of contact.

**Hygiene measures** Provide eyewash station and safety shower. Keep away from food, drink and animal feeding stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Change work clothing daily before leaving workplace.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly.

### 9. Physical and Chemical Properties

## BC PUR Injection

|  |   |
|--|---|
| <b>Color</b>                           | Colorless to pale yellow.                     |
| <b>Odor</b>                            | Slight.                                       |
| <b>pH</b>                              | pH (concentrated solution): 4.5 - 7.0 @ 20 °C |
| <b>Melting point</b>                   | <-20°C  |
| <b>Initial boiling point and range</b> | >200°C @                                      |
| <b>Flash point</b>                     | >177°C  |
| <b>Vapor pressure</b>                  | 0.01mmHg @ °C                                 |
| <b>Relative density</b>                | 1.0 - 1.21 @ @ 25 °C°C                        |
| <b>Solubility(ies)</b>                 | Slightly soluble in water.                    |
| <b>Auto-ignition temperature</b>       | >400°C  |
| <b>Appearance</b>                      | Viscous liquid                                |

### 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | Acids. Strong oxidizing agents. Alkalis.   |
| <b>Stability</b>                          | Stable at normal ambient temperatures and when used as recommended.  |
| <b>Possibility of hazardous reactions</b> | Not available.   |
| <b>Conditions to avoid</b>                | Decomposes on heating.   |
| <b>Materials to avoid</b>                 | Avoid contact with acids. Strong oxidizing agents. Alkalis - inorganic. Alkalis - organic.                         |
| <b>Hazardous decomposition products</b>   | Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. |

### 11. Toxicological information

#### Acute toxicity - inhalation

**ATE inhalation (gases ppm)** 9,000.0

**ATE inhalation (vapours mg/l)** 22.0

**ATE inhalation (dusts/mists mg/l)** 3.0

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Irritating to respiratory system. May cause sensitisation by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation.                                   |
| <b>Skin Contact</b> | Irritating to skin. Prolonged or repeated exposure may cause severe irritation. May cause sensitisation by skin contact. May cause sensitization or allergic reactions in sensitive individuals. |
| <b>Eye contact</b>  | Irritating to eyes   |

## BC PUR Injection

**Target Organs** Liver Kidneys

### 12. Ecological Information

**Ecotoxicity** Avoid release to the environment.

**Toxicity** Not considered toxic to fish.

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: >1000 mg/l, Fish

#### Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

#### Mobility in soil

**Mobility** Do not discharge into drains or watercourses or onto the ground.

#### Other adverse effects

**Other adverse effects** Not available.

### 13. Disposal considerations

#### Waste treatment methods

**General information** When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Waste class** 08 04 99

### 14. Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

#### UN Number

No information required.

#### UN proper shipping name

No information required.

#### Transport hazard class(es)

#### Transport labels

No transport warning sign required.

#### Packing group

## BC PUR Injection

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** No information required.

### 15. Regulatory information

### 16. Other information

|                                  |  |
|----------------------------------|--|
| <b>Revision date</b>             | 4/4/2018   |
| <b>Revision</b>                  | 9  |
| <b>Supersedes date</b>           | 4/29/2016  |
| <b>Hazard statements in full</b> | <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H319 Causes serious eye irritation.</p> <p>H332 Harmful if inhaled.</p> <p>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H335 May cause respiratory irritation.</p> <p>H351 Suspected of causing cancer.</p> <p>H373 May cause damage to organs through prolonged or repeated exposure.</p> |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

